ELSEVIER

Neuroscience Letters 277 (1999) 207–209

Neuroscience Letters

Contents to Volume 277

Volume 277, no. 1

Guidelines for the submission of manuscripts v

Targeting neurokinin-1 receptor-expressing neurons with [Sar^9,$Met(O_2)^{11}$]substance P-saporin
R.G. Wiley, D.A. Lappi (USA) 1

Post-trial administration of H_1 histamine receptor blocker improves appetitive reversal learning and memory in goldfish, *Carassius auratus*
R.E. Spieler, C.A. Nelson, J.P. Huston, R. Mattioli (USA, Germany, Brazil) 5

Polyglutamine repeat length influences human androgen receptor/c-Jun mediated transcription
A.J. Grierson, R.C. Mootoosamy, C.C.J. Miller (UK) 9

Strain difference in amiloride-sensitivity of salt-induced responses in mouse non-dissociated taste cells
T. Miyamoto, R. Fujiyama, Y. Okada, T. Sato (Japan) 13

Insulin-like growth factor-1 affects expressions of cyclin-dependent kinase 5 and its activator p35 in reperfused rat brain
J.M. Wang, T. Hayashi, W.R. Zhang, K. Sakai, Y. Shiro, K. Abe (Japan, People's Republic of China) 17

Cerebrospinal fluid tau protein shows a better discrimination in young old (<70 years) than in old old patients with Alzheimer's disease compared with controls
K. Bürger née Buch, F. Padberg, T. Nolde, S.J. Teipel, S. Stübner, A. Haslinger, M.J. Schwarz, T. Sunderland, H. Arai, S.I. Rapoport, H.-J. Möller, H. Hampel (Germany, USA, Japan) 21

Somatotopic mapping of the human primary somatosensory cortex by fully automated tactile stimulation using functional magnetic resonance imaging
C. Stippich, R. Hofmann, D. Kapfer, E. Hempel, S. Heiland, O. Jansen, K. Sartor (Germany) 25

Tau gene polymorphisms and apolipoprotein E ε4 may interact to increase risk for Alzheimer's disease
L. Lilius, S. Froelich Fabre, H. Basun, C. Forsell, K. Axelman, K. Mattila, A. Andreadis, M. Viitanen, B. Winblad, L. Fratiglioni, L. Lannfelt (Sweden, USA) 29

Inhibition of prolylendopeptidase does not affect γ-secretase processing of amyloid precursor protein in a human neuroblastoma cell line
J.A. Johnston, M. Jensen, L. Lannfelt, B. Walker, C.H. Williams (UK, Sweden) 33

A marker for differentiation of capabilities for processing of musical harmonies as detected by magnetoencephalography in musicians
R. Beisteiner, M. Erdler, D. Mayer, A. Gartus, V. Edward, T. Kaindl, S. Golaszewski, G. Lindinger, L. Deecke (Austria) 37

Effects of kinematics constraints on hand trajectory during whole-body lifting tasks
Y. Kerlirzin, T. Pozzo, G. Dietrich, S. Vieilledent (France, UK) 41

Continuous blockade of brain mineralocorticoid receptors impairs spatial learning in rats
J.L.W. Yau, J. Noble, J.R. Seckl (UK) 45

Early regional cerebral glucose hypometabolism in transgenic mice overexpressing the V717F β-amyloid precursor protein
J.-C. Dodart, C. Mathis, K.R. Bales, S.M. Paul, A. Ungerer (France, USA) 49

Decreased frequency of apolipoprotein E ε4 allele from Northern to Southern Europe in Alzheimer's disease patients and centenarians
F. Panza, V. Solfrizzi, F. Torres, F. Mastroianni, A. Del Parigi, A.M. Colacicco, A.M. Basile, C. Capurso, R. Noya, A. Capurso (Italy) 53

The surface density of glial fibrillary acidic protein immunopositive astrocytic processes in the rat supraoptic nucleus is reversibly altered by dehydration and rehydration
N. Hawrylak, D. Boone, A.K. Salm (USA) 57

Neuroprotective effects of an antioxidant in cortical cerebral ischemia: prevention of early reduction of the apurinic/apyrimidinic endonuclease DNA repair enzyme
Y.-Y. Chang, M. Fujimura, Y. Morita-Fujimura, G.W. Kim, C.-Y. Huang, H.-S. Wu, M. Kawase, J.-C. Copin, P.H. Chan (USA) 61

Angiotensin-converting enzyme genotype is associated with Alzheimer disease in the Japanese population
J. Hu, F. Miyatake, Y. Aizu, H. Nakagawa, S. Nakamura, A. Tamaoka, R. Takahash, K. Urakami, M. Shoji (Japan) 65

Vasopressin selectively modulates the release of taurine within the septum of the rat brain
N. Singewald, K. Ebner, R. Landgraf, C.T. Wotjak, M. Engelmann (Austria, Germany) 68

Volume 277, no. 2

Comparison of dopamine and noradrenaline release in mouse prefrontal cortex, striatum and hippocampus using microdialysis
J.A. Ihalainen, P. Riekkinen Jr., M.G.P. Feenstra (The Netherlands, Finland) 71

Free zinc increases at the site of injury after cortical stab wounds in mature but not immature rat brain
E.C. Yeiser, A.A. Lerant, R.M. Casto, C.W. Levenson (USA) 75
Expression of 5-HT receptors and the 5-HT transporter in rat brain after electroconvulsive shock
P.W.J. Burnet, T. Sharp, S.M. LeCorre, P.J. Harrison (UK) 79
Apolipoprotein E polymorphisms and Parkinson's disease
R.L. Oliveri, G. Nicoletti, R. Cittadella, I. Manna, D. Branca, M. Zappia, A. Gambardella, M. Caracciolo, A. Quattrone (Italy) 83
Dissociated adult *Rana pipiens* motoneuron growth cones turn up concentration gradients of denervated peripheral nerve-released factors
E.S. Hill, G. Latalladi, D.P. Kuffler (USA) 87
Origin of 4-hydroxynonenal incubation-induced inhibition of dopamine transporter and Na^+/K^+ adenosine triphosphate in rat striatal synaptosomes
P. Fleuranceau-Morel, L. Barrier, B. Fauconneau, A. Piriou, F. Huguet (France) 91
A technique for estimating activity in whole nerve trunks applied to the cervical sympathetic trunk, in the rabbit
F. Hellström, S. Roatta, H. Johansson, M. Passatore (Sweden, Italy) 95
Cell death by 1-chloro-2,4-dinitrobenzene, an inhibitor of thioredoxin reductase and its dual regulation by nitric oxide in rats
A. Ishikawa, Y. Kubota, T. Murayama, Y. Nomura (Japan) 99
Contribution of mGluR1 to the basal activity of a mouse cerebellar Purkinje neuron
Y. Yamakawa, T. Hirano (Japan) 103
Long-term denervation modulates differentially the accumulation of myogenin and MRF4 mRNA in adult *Xenopus* muscle
N. Nicolas, J.-C. Mira, C.L. Gallien, C. Chanoine (France) 107
Structure and alternative splicing of the gene encoding the human β_1 subunit of voltage dependent calcium channels
K. Hogan, R.G. Gregg, P.A. Powers (USA) 111
Scopolamine augments transient auditory 40-Hz magnetic response in humans
J. Ahveninen, H. Tiitinen, J. Hirvonen, E. Pekkonen, J. Huttunen, S. Kaakkola, I.P. Jääskeläinen (Finland) 115
Movement-related glutamate levels in rat hippocampus, striatum, and sensorimotor cortex
S.T. Bland, R.A. Gonzales, T. Schallert (USA) 119
A rare coding variant within the *wolframin* gene in bipolar and unipolar affective disorder cases
R.A. Furlong, L.W. Ho, J.S. Rubinsztein, A. Michael, C. Walsh, E.S. Paykel, D.C. Rubinsztein (UK) 123
Lipid peroxidative stress and antioxidative enzymes in brains of milk-supplemented rats
B.-H. Bay, Y.-K. Lee, B.K.-H. Tan, E.-A. Ling (Singapore) 127
Fitts' law in human standing: the effect of scaling
F. Danion, M. Duarte, M. Grosjean (USA, Brazil) 131
5-HT_{2A} receptor gene polymorphisms in anorexia nervosa and bulimia nervosa
B. Nacmias, V. Ricca, A. Tedde, B. Mezzani, C.M. Rotella, S. Sorbi (Italy) 134
Mutation screening of the tau gene in patients with early-onset Alzheimer's disease
G. Roks, B. Dermaut, P. Heutink, A. Julliams, H. Backhovens, M. Van de Broeck, S. Serneels, A. Hofman, C. Van Broeckhoven, C.M. van Duijn, M. Cruts (The Netherlands, Belgium) 137

Volume 277, no. 3

Enhanced transgene expression in rat brain cell cultures with a disulfide-containing cationic lipid
P.S. Ajmani, F. Tang, S. Krishnaswami, E.M. Meyer, C. Sumners, J.A. Hughes (USA) 141
Association between apolipoprotein E polymorphism and Alzheimer's disease in Koreans
K.W. Kim, J.H. Jhoo, K.U. Lee, D.Y. Lee, J.H. Lee, J.Y. Youn, B.J. Lee, S.H. Han, J.I. Woo (South Korea) 145
Argyrophilic dark neurons distribute with a different pattern in the brain after over hours treadmill running and swimming in the rat
K. Ishida, C. Ungusparkorn, H. Hida, N. Aihara, K. Ida, H. Nishino (Japan) 149
Lithium modulates desensitization of the glutamate receptor subtype GluR3 in *Xenopus* oocytes
N.B. Karkanias, R.L. Papke (USA) 153
Tyrosine hydroxylase and vesicular acetylcholine transporter are coexpressed in a high proportion of intramural neurons of the human neonatal and child urinary bladder
J.S. Dixon, P.Y.P. Jen, J.A. Gosling (Hong Kong, USA) 157
A desensitization-inhibiting mutation in the glutamate binding site of rat α-amino-3-hydroxy-5-methyl-4-isoxazole propionic acid receptor subunits is dominant in heteromultimeric complexes
A. Thalhammer, T. Morth, N. Strutz, M. Hollmann (Germany) 161
Biohybride nerve guide for regeneration: degradable polylactide fibers coated with rat Schwann cells
H. Steuer, R. Fadale, E. Müller, H.-W. Müller, H. Planck, B. Schlosshauer (Germany) 165
Changes in nicotinic acetylcholine receptor subunit mRNAs and nicotinic binding in spontaneously hypertensive stroke prone rats
R. Ferrari, A. Frasoldati, G. Leo, C. Torri, I. Zini, L.F. Agnati, M. Zoli (Italy) 169
Alterations in urinary bladder M_2-muscarinic receptor protein and mRNA in 2-week streptozotocin-induced diabetic rats
Y.-C. Tong, W.-T. Chin, J.-T. Cheng (Taiwan, ROC) 173
Two types of aggregate in the cerebral cortex of a seizure-sensitive strain of the Mongolian gerbil
A. Seto-Ohshima, M. Katoh, S. Yokota, N. Karasawa, N. Kawamura, S. Kitajima, M. Tsuzuki, K. Yoshida, M. Oh-Ishi, Y.L. Murashima, M. Onozuka, M. Kishikawa (Japan) 177

Nerve growth factor promoter driven neurotrophin-3 overexpression in the mouse and the protective effect of transgene on age-related behavioral deficits
Y. Kaisho, H. Ohta, M. Miyamoto, K. Igarashi (Japan) 181

Expression of the mRNA for two isoforms of neural plakophilin-related arm-repeat protein/δ-catenin in rodent neurons and glial cells
Y. Kawamura, Q.-W. Fan, H. Hayashi, M. Michikawa, K. Yanagisawa, H. Komano (Japan) 185

Human taste cortical areas studied with functional magnetic resonance imaging: evidence of functional lateralization related to handedness
A. Faurion, B. Cerf, P.-F. Van De Moortele, E. Lobel, P. Mac Leod, D. Le Bihan (France) 189

Overexpression of bcl-2, bcl-x_L or hsp70 in murine cortical astrocytes reduces injury of co-cultured neurons
L. Xu, J.E. Lee, R.G. Giffard (USA, South Korea) 193

Blood–brain barrier choline transport in the senescent rat
D.D. Allen, Q.R. Smith (USA) 198

Author Index to Volume 277 203

Contents to Volume 277 207